

Work Order ID 90655

September-21-12 11:35:59 AM

90655

Page 1

Item ID: D3636-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Shoulder Harness
Start Date: 9/21/12 Start Qty: 8.00 ***8*** Cust Item ID:
Required Date: 10/12/12 Req'd Qty: 8.00 ***8*** Customer:
Reference:

Approvals: Process Plan: MLJ Date: 12-09-21 Tooling: Date: Run Start ***NR1***
QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3636	Rev B								
100	PURCHASING	0.00							
100									
Purchasing	Memo	0.00							
Purchasing	Issue P/O: <u>17982</u>								
	Purchase Part Number: P/N 3104-1-061-2396				Supplier:				
	AMSAFE INC., PHOENIX, ARIZONA								
	Certificate of conformity is required								
110	Receive & Inspect for Damage & Mat'l Certs	0.00							
110									
Packaging	Memo	0.00							
Packaging	Ensure certificate of conformity is attached								
120	QC6- Inspect dimensions to drawing	0.00							
120									
QC	Memo	0.00							
Quality Control									

CZ 12/09/24 (8)

P42/10/10 (8)

DA 16 17/10/12

(8)

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											

FAULT CATEGORY										
Landing Gear			General							
<input type="checkbox"/> Bending	<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> Cracks	<input type="checkbox"/> Crushed/Crimped	<input type="checkbox"/> Cuffs	<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Wave/Twist in Tube
<input type="checkbox"/> Bend	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Burrs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Countersink	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Drawing	<input type="checkbox"/> Finish	<input type="checkbox"/> Folio
<input type="checkbox"/> Grain	<input type="checkbox"/> Hardware	<input type="checkbox"/> Inspection Incomplete	<input type="checkbox"/> Instructions Incomplete/Unclear	<input type="checkbox"/> Maintenance	<input type="checkbox"/> Mislabeled	<input type="checkbox"/> Misread	<input type="checkbox"/> Offset	<input type="checkbox"/> Out of Calibration	<input type="checkbox"/> Out of Sequence	<input type="checkbox"/> Outside Dimensions
<input type="checkbox"/> Ovalized	<input type="checkbox"/> Over/Under tolerance	<input type="checkbox"/> Part Incorrect	<input type="checkbox"/> Part Lost/Missing	<input type="checkbox"/> Part Moved	<input type="checkbox"/> Positioned Wrong	<input type="checkbox"/> Power Loss/Surge	<input type="checkbox"/> Pressure/Forced	<input type="checkbox"/> Temperature/Cure	<input type="checkbox"/> Weld	<input type="checkbox"/> Wrong Stock Pulled
						<input type="checkbox"/> Other				
<div style="border-bottom: 1px solid black; height: 15px; width: 100%;"></div> <div style="border-bottom: 1px solid black; height: 15px; width: 100%;"></div> <div style="border-bottom: 1px solid black; height: 15px; width: 100%;"></div>										

Work Order ID 90655

90655

Page 2

September-21-12 11:35:59 AM

Item ID: D3636-041

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Shoulder Harness

Start Date: 9/21/12 Start Qty: 8.00

8

Cust Item ID:

Required Date: 10/12/12 Req'd Qty: 8.00

8

Customer:

Reference:

Run Start

NR1

Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop

NR2

QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

Identify as per dwg & Stock Location:

8263

0.00

130

Packaging

Memo

0.00

Packaging

8x

SP

12-10-15

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.00

Quality Control

12/10/17

ME

12-10-16

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											
FAULT CATEGORY											
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio			<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions			<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other		

Picklist Print

September-21-12 11:35:58 AM

Page 1

Work Order ID: 90655

Parent Item: D3636-041

Parent Item Name: Shoulder Harness

Start Date: 9/21/12

Required Date: 10/12/12

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP Rev:A revA as per dwg 08-01-09 DD verified by LL 08/01/09

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3636-041P Shoulder Harness		Purchased	No			110	Each	0.0000	1	8		9/21/12 (8)	

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE


DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											

FAULT CATEGORY				
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge	<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

SPECIFICATION CONTROL DRAWING



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **90655 MJS**
12-09-21

RELEASED
07.11.14 W

NOTES:

- DESCRIPTION: 3-POINT SHOULDER HARNESS WITH LEVER STYLE BUCKLE AND CHROME HARDWARE PLATING
2" BLACK NYLON WEBBING, STYLE T1200-5 WHICH MEETS REQUIREMENTS OF TSO-C114
WITH MINIMUM STRENGTH OF 2500 LBS
- PURCHASE INFO: P/N 3104-1-061-2396 (D3636-041)
AMSAFE INC., PHOENIX, ARIZONA
- TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- UNITS: INCHES UNLESS OTHERWISE NOTED
- BREAK SHARP EDGES: N/A
- IDENTIFICATION: N/A
- WEIGHT: 1.7 lbs
- LABEL TO INCLUDE: DART AEROSPACE P/N D3636-11/-13
(613) 632-3336

B	NEW HARNESS P/N'S; REFERENCE TSO-C114	LE	07.10.16
A	NEW ISSUE; REPLACES G10601	LE	07.07.27
REV.	DESCRIPTION	BY	DATE
DESIGN	CV	DART AEROSPACE USA, INC PORT HADLOCK, WA	
DRAWN	LE		
CHECKED	PH	DRAWING NO.	REV. B
MFG. APPR.	N/A	D3636	SHEET 1 OF 1
APPROVED	MP	TITLE	SCALE
DE APPR.	MP	SHOULDER HARNESS	NTS
DATE	07.10.16	COPYRIGHT © 2007 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO17982**

Purchase Order Date 9/24/12

PO Print Date 9/25/12

Page Number 1 of 1

Order From :

VU-AMS001

AMSAFE INC.
LOCKBOX #911928
P.O. BOX 31001-1928

PASADENA, CA 91110-1928
US

Contact Name

Vendor Phone 602 850 2850

Vendor Fax 602 850 2812

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED
09/25/12

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	D3636-041P	Shoulder Harness	10/12/12 Yes	8.00 Each	FedEx PI collect	\$318.2900	\$2,546.32
		Special Inst:	AS PER DWG D3636 REV. B B90655 AMSAFE P/N: 3104-1-061-2396				
2	3221-1-021-2396	Shoulder Harness	10/12/12 Yes	4.00 Each	FedEx PI collect	\$280.1500	\$1,120.60
		Special Inst:	AS PER DWG D4088 REV. A B90727 AMSAFE P/N: 3221-1-021-2396				
PO Total:						\$3,666.92	

**CERTIFICATE OF CONFORMITY
REQ'D UPON DELIVERY**

Change Nbr: 2

Change Date: 9/25/12

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required **YES** NO

AmSafe

1043 NORTH 47th AVENUE
PHOENIX, AZ 85043
PH (602)850-2850 FAX (602)850-2812

SHIPPER/CERTIFICATION



CUSTOMER NO.	SALES ORDER NO.	BOL NO.	DATE PRINTED	PAGE NO.
10006113	S241477	000280459	10/09/12	1

DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY
HAWKESBURY, ON K6A 1K7
Canada

DART AEROSPACE LTD.
1270 ABERDEEN ST
HAWKESBURY,, ON K6A 1K7
Canada

Ship to ID: 10006125

CUSTOMER ORDER NO.	TERMS	FREIGHT	SHIP VIA	F.O.B.
PO17982	NET30	COLLECT	FedEx Intl Priority	ORIGIN

Sales Order Remarks: 1517-9324-0

Remarks:

SHIPMENT REFERENCE 000280459

LINE	ITEM NUMBER / DESCRIPTION	DRAWING AND CERTIFICATIONS	DUE DATE	QTY ORDERED	QTY SHIPPED	QTY BACK ORDERED
1	Cust. Item No.: D3636041 3104-1-061-2396 REST SYS ASSY	DRAWING: 3104 REV: G CERT: TSO-C114 Lot/Serial Numbers Shipped Quantity S241477-1	2012-10-10 8.0	8 Expire Ref.	8	0
2	Cust. Item No.: D4088-043 3221-1-021-2396 REST SYS ASSY	DRAWING: 3221 REV: A CERT: TSO-C114 Lot/Serial Numbers Shipped Quantity S241477-2	2012-10-10 4.0	4 Expire Ref.	4	0

I certify that the article(s) listed above conform to all applicable design data, and (as applicable):

FAA PMA, FMVSS 209, FMVSS 302, 14 CFR 25.853

FAA TSO C22f, C22g, C114 or TSO Plus

The conditions and tests required for TSO approval of the article(s) are minimum performance standards. It is the responsibility of those installing the article(s) either on or within a specific type or class of aircraft to determine that the aircraft installation conditions are within the standards applicable to the TSO article including (when applicable) the integrated non-TSO function. The non-TSO function is described as the seat belt airbag system including the inflator cable assembly and electrical components that have not been evaluated for functionality or installation requirements. TSO articles including the integrated non-TSO function must have separate approval for installation in an aircraft. The article(s) may be installed only if performed under 14 CFR part 43 or the applicable airworthiness requirements. Product shipped meets all material, processing and test requirements. Certifications/Test reports as applicable are retained on file at AmSafe Aviation.

AmSafe Authorized Signature: X

Jesse Ochoa

Printed Name:

Jesse Ochoa

Dated:

2102 6 0 130

COUNTRY OF ORIGIN USA

1. Approving National Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: S241477-1-100	
4. Organization Name and Address: AmSafe Aviation 1043 North 47th Avenue Phoenix, Arizona 85043		Cert. No. PT1967NM				5. Work order/Contract/Invoice Number: S241477 - 1 <input type="radio"/> PAGES ATTACHED	
6. Item:	7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Number:	12. Status/Work:	
1	REST SYS ASSY	3104-1-061-2396	N/A	8	A0912	NEW	
13. Remarks: Drawing: 3104 Rev: G TSO: TSO-C114 <div style="text-align: right;"><i>S241477</i></div>							
EXPORT AIRWORTHINESS APPROVAL: THIS ARTICLE MEETS THE SPECIAL REQUIREMENTS OF CANADA							
14. Certifies the items identified above were manufactured in conformity to: <input checked="" type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 13.				19. <input type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 13 Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
15. Authorized Signature: <i>Nancy Williamson</i>		16. Approval/Authorization No.: ODA602112NM		20. Authorized Signature		21. Authorized/Certificate No.	
17. Name (typed or printed) Nancy Williamson		18. Date (m/d/y): OCT/04/2012		22. Names (typed or printed)		23. Date (m/d/y):	
User/Installer Responsibilities							
<p>It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.</p> <p>Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.</p>							